



CENTURION REMEDIES PVT. LTD.

G-5, INDUSTRIAL ESTATE, GORWA, VADODARA-390016
 REG.OFF.: G-5, INDUSTRIAL ESTATE, GORWA, VADODARA-390016
 Phone : 2282061, 2281074, 3290522 Fax : 2280436 C.I.No. : U24231GJ2003PTC42254
 Email : cen_lab@rediff.com

QUALITY CONTROL DEPARTMENT THE DRUG & COSMETIC ACT. 1940 & THE RULES THEREUNDER

Page 1 of 1

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name : CENFORCE FM TABLETS	A.R. No. : F/0948/20-21
Packing : 10x10 TAB	Rel. Dt. : 12-09-2020
Generic Name : SILDENAFIL CITRATE TABLETS	T.R. Slip No. : CPT200794
Product Code : TC-43	T.R. Slip Dt. : 12-09-2020
Batch No. : TC-430007	Analysis Date : 12-09-2020
Actual Batch Size : 100500 TAB (1005 CAR)	Specification No. : CRFS/TC-43/1819
Packing Batch Size : 100500 TAB	Specification Dt : 11-08-2018
Sample Size : 50.000 TAB	STP No. : STP/TC-43/AS PER IH
Released Qty : 100500.000 TAB (1005 CAR)	Location : GORWA01
Remarks : Pass	Make : CENTURION
Mfg. Dt. : AUG-2020	
Exp. Dt. : JUL-2023	
Test Packing : 10X10 TAB	
Mfg. Lic No. : G/1325	
Test As Per : IH	

Sr.	Test	Result	Specification
1	DESCRIPTION	A pink coloured, diamond shaped, biconvex film coated tablets, engraved with "100" on both sides.	A pink coloured, diamond shaped, biconvex film coated tablets, engraved with "100" on both sides.
2	IDENTIFICATION	Complies	Must Complies as per IH
1	BY HPLC	In the Assay, the principal peak in the chromatogram obtained with the test solution is corresponds to the peak in the chromatogram obtained with the reference solution.	In the Assay, the principal peak in the chromatogram obtained with the test solution should correspond to the peak in the chromatogram obtained with the reference solution.
3	AVERAGE WEIGHT OF TABLETS	539.5 mg	540.90 mg \pm 3.0% of avg. weight
4	UNIFORMITY OF WEIGHT	H.L :- +3.97% L.L :- -3.53%	Within \pm 5.0% of avg. weight
5	THICKNESS	4.83 mm	4.80 mm \pm 0.2 mm
6	DISINTEGRATION TIME	05 Minutes 31 Seconds in Water. Medium at 37 ° C	NMT 30 min
7	DISSOLUTION	93.83%	NLT 70.0%
8	ASSAY BY HPLC	100.39%	Each Film Coated Tablet Contain: Sildenafil Citrate Eq. to Sildenafil 100 mg [Limit: 90.0% to 110.0%]

Conclusion : The above sample complies as per IH
 In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Prepared By NITIN VALAND QC CHEMIST	Checked By ASMITA Q.C IN CHARGE	Approved By PUSHPENDRA QA HEAD
--	--	---